

AMENDMENTS TO THE CLAIMS

1. (CURRENTLY AMENDED) A method for packaging objects, a stack of goods on a pallet in particular, with a hose-shaped stretch foil guided in run-like manner as hose of lateral folds in particular, including the steps of:

[[-]] forming a foil hood harmonized to the length of said ~~good~~ stack of goods to be packed or a band stock hose;

[[-]] reefing said foil hood or band stock, respectively, on several gripper means movable in essentially a horizontal direction, of a lifting frame movable in essentially a vertical direction;

[[-]] tentering said reefed foil hood or band stock, respectively, in essentially a horizontal direction by movement of said gripper means such that said tentered opening of said foil hood or band stock, respectively, is larger than the contour of said ~~object~~ stack of goods to be packed and wherein said foil hood or band stock, respectively, is expanded in essentially a horizontal direction;

[[-]] pulling-over of said foil hood or band stock, respectively, over said ~~object~~ stack of goods by the essentially vertical movement of said lifting frame, wherein said foil hood or band stock, respectively, is pulled-off from said gripper means and is expanded in essentially a vertical direction;

controlling the tension of said foil hood or band stock, respectively, during tentering in essentially a horizontal direction ~~on~~ above the upper side of said stack of goods by controlled rolling down of the foil hood or band stock from said gripper means.

2. (ORIGINAL) The method as defined in claim 1,
wherein said foil hood or band stock, respectively, again is partly pulled down from said gripper means during tentering.

3. (ORIGINAL) The method as defined in claim 2,
wherein said pulling-off speed of said foil hood or band stock, respectively, during tentering is lower than the speed of the essentially horizontal movement of said gripper means.

4. (PREVIOUSLY PRESENTED) The method as defined in claim 1,
wherein said pulling-off speed of said foil hood or band stock, respectively, during pulling-over of said foil hood is lower than the speed of the essentially vertical movement of said lifting frame.

5. (PREVIOUSLY PRESENTED) The method as defined in claim 1, wherein said reefing or pulling-off, respectively, of said foil hood or band stock, respectively, during reefing or tentering, respectively, or pulling-off of said foil hood during pulling-over is effected by the movement of rolls, wherein the outer surfaces of said rolls shift said foil hood pushed onto said gripper means.

6. (CURRENTLY AMENDED) The method as defined in claim 1, wherein said foil hood or band stock, respectively, is held on said gripper means during an end phase of said pulling-over.

7. (CURRENTLY AMENDED) The method as defined in claim 6, wherein said holding of said foil hood or band stock, respectively, is effected by means of rolls which press said foil hood against said gripper means during said tentering process.

Claims 8-14. (CANCELLED)

15. (PREVIOUSLY PRESENTED) The method as defined in claim 1, wherein said reefing or pulling-off, respectively, of said foil hood or band stock,

Docket No. 0430-0160P

Appl. No.: 09/924,528

Art Unit: 3721

Amendment dated March 23, 2004

Reply to Office Action of September 24, 2003

Page 5 of 14

respectively, during reefing and tentering, respectively, and pulling-off of said foil hood during pulling-over is effected by the movement of rolls, wherein the outer surfaces of said rolls shift said foil hood pushed onto said gripper means.